ARTICLE VII 911/E-911 ARRANGEMENTS

1. Wireless 911/E-911 Arrangements

- 1.1 <u>Definitions.</u> The following definitions are applicable in this Section:
 - 1.1.1 "Automatic Location Identification (ALI) Database" means the emergency services (E911) database containing caller location information including the carrier name, NENA ID, Call Back Number, Routing Number, Cell Site/Sector Information, and other carrier information used to process caller location records.
 - 1.1.2 "CAS" means Call Path Associated Signaling.
 - 1.1.3 "Nextel Partners End User" means any person or entity receiving service on the Nextel Partners System.
 - 1.1.4 "Call Back Number" means the MDN or other number that can be used by the PSAP to call back the Nextel Partners End User.
 - 1.1.5 "Cell Sector" means a geographic area defined by Nextel Partners (according to Nextel Partners's own radio frequency coverage data), and consisting of a certain portion or all of the total coverage area of a Cell Site.
 - 1.1.6 "Cell Site" means the Nextel Partners fixed radio transmitting and receiving facilities associated with the origination and termination or wireless traffic from/to the Nextel Partners End User.
 - 1.1.7 "Cell Site/Sector Information" means information that indicates to the receiver of the information the Cell Site location receiving a 911 Call made by the Nextel Partners End User, and which may also include additional information regarding a Cell Sector.
 - 1.1.8 "Controlling 911 Authority," means the duly authorized State, County or Local Government Agency empowered by law to oversee the 911 services, operations and systems within a defined jurisdiction.
 - 1.1.9 "Default PSAP" is the PSAP designated to receive a 911 Call in the event the 911 Tandem Office/Selective Router is unable to determine the Designated PSAP.
 - 1.1.10 "Designated PSAP" means the primary PSAP designated by the Controlling 911 Authority to receive a 911 Call based upon the geographic location of the Cell Site.
 - 1.1.11 "Host ALI Record" means a data record resident in the primary i.e., host, ALI system for a PSAP.
 - 1.1.12 "NCAS" means Non-Call Path Associated Signaling.
 - 1.1.13 "PAM Protocol" means the bi-directional ALI-to-ALI real-time steering interface which supports intersystem queries. This interface allows an

- ALI database serving a PSAP to query a second ALI database for ALI data that is not resident in the ALI Database serving the PSAP.
- 1.1.14 "Routing Number" is a number used to support the routing of wireless 911 Calls. It may identify a wireless Cell Sector or PSAP to which the call should be routed. In NCAS, the Routing Number (identified in standard documents as Emergency Services Routing Key "ESRK") is a ten-digit number translated and out pulsed from a Cell Sector identifier at the service control point that routes the 911 Call to the appropriate PSAP. The Routing Number is also the search-key from a PSAP query to an ALI database for a Host ALI Record with a matching Routing Number.
- 1.1.15 "911 Call Taker" means the PSAP telecommunicator receiving a 911 Call.
- 1.1.16 "911 Call(s)" means a call made by the Nextel Partners End User by dialing the three digit telephone number "911" (and, as necessary, pressing the "Send" or analogous transmitting button) on a wireless handset to facilitate the reporting of an emergency requiring response by a public safety agency.

2. 911/E911 Arrangements for CMRS Not Constituting Fixed Wireless Services

- 2.1 The terms of this Section apply to the provision of 911/E911 services by Verizon to Nextel Partners in respect to CMRS services that do not constitute Fixed Wireless Services.
- 2.2 To the extent the Parties are required to negotiate additional terms to address Phase II requirements, the Parties agree to negotiate to amend this Agreement to address such requirements.
- 2.3 Nextel Partners may, at its option in accordance with applicable law or regulation, interconnect to the Verizon 911 Tandem Office(s)/Selective Router(s) or interface points, e.g. digital cross connect systems (DCS), as appropriate, that serve the areas in which Nextel Partners provides telephone exchange services, for the provision of 911/E911 services and for access to all subtending Public Safety Answering Points (PSAP). In such situations, Verizon will provide Nextel Partners with the appropriate CLLI codes and specifications of the 911 Tandem Office/Selective Router serving area. In areas where E-911 is not available, Nextel Partners and Verizon will negotiate arrangements to connect Nextel Partners to the 911 service in accordance with Applicable Law.
- 2.4 Not withstanding anything contained herein to the contrary, the respective obligations of the Parties contained in this Section are not effective as to a particular 911 jurisdiction until Nextel Partners notifies Verizon in writing that it has received a request from the Controlling 911 Authority to provide E-911 service within a jurisdiction served by Verizon. Upon receipt of such a notice from Nextel Partners, the Parties shall promptly implement the respective obligations of the Parties contained in this Section.
- 2.5 All path and route Interconnections for 911/E-911 shall be made diverse as necessary and as required by law or regulation.

- 2.6 Within thirty (30) days of its receipt of a complete and accurate request from Nextel Partners, to include all required information and applicable forms, and to the extent authorized by the relevant federal, state, and local authorities, Verizon will provide Nextel Partners, where Verizon offers 911 service, with the following at a reasonable fee, if applicable:
 - 2.6.1 a list of the address and CLLI code of each 911/E-911 Tandem
 Office(s)/Selective Router(s) in the area in which Nextel Partners plans
 to offer CMRS services that do not constitute Fixed Wireless Services;
 - 2.6.2 a list of appropriate Verizon contact personnel who currently have responsibility for operations and support of 911/E-911 network and database systems,
 - 2.6.3 any special 911 Trunking requirements for each 911/E-911 Tandem Office(s)/Selective Router(s), where applicable and available, and;
 - 2.6.4 prompt return of any Nextel Partners 911/E-911 data entry files containing errors, so that Nextel Partners may ensure the accuracy of the Customer records and resubmit to Verizon as necessary.

2.7 Electronic Interface

- 2.7.1 Nextel Partners shall use, where available, the appropriate Verizon electronic interface, through which Nextel Partners shall input and provide a daily update (or as necessary) of 911/E-911 database information related to appropriate cell/sector location information associated with each face of the cellsite. In those areas where an electronic interface is not available, Nextel Partners shall provide Verizon with all appropriate 911/E-911 information via facsimile for Verizon's entry into the 911/E-911 database system. Any 911/E-911 related data exchanged between the Parties prior to the availability of an electronic interface shall conform to Verizon standards, whereas 911/E-911-related data exchanged electronically shall conform to the National Emergency Number Association (NENA) standards.
- 2.7.2 Notwithstanding the above, Nextel Partners may use a third party for the electronic interface with Verizon.

2.8 911/E911 General

2.8.1 911 Interconnection

Verizon and Nextel Partners shall each use commercially reasonable efforts to facilitate the prompt, robust, reliable and efficient interconnection of Nextel Partners systems to the 911/E-911 platforms and/or systems.

2.8.2 911 Facilities

Nextel Partners shall be responsible for providing facilities from the Nextel Partners Mobile Switching Center to the 911/E911 Tandem Office(s)/Selective Router(s) or appropriate interface points, e.g. digital cross connect systems (DCS). Nextel Partners shall deploy diverse routing of 911 trunk pairs to the Verizon 911/E911 Tandem

Office(s)/Selective Router(s) or interface point(s).

2.8.4 911 Authority Coordination

Verizon and Nextel Partners will work cooperatively to arrange meetings with the Controlling 911 Authorities to answer any technical questions the PSAPs, or county or municipal coordinators may have regarding the 911/E-911 arrangements.

2.8.5 911 Compensation

Nextel Partners will compensate Verizon for provision of its 911/E-911 services pursuant to the Appendix D.

2.8.6 911 Rules and Regulations

Nextel Partners and Verizon will comply with all applicable rules and regulations (including 911 taxes and surcharges as defined by Applicable Law) pertaining to the provision of 911/E-911 services.

2.9 NCAS

2.9.1 Trunking

2.9.1.1 Notwithstanding anything contained in this Agreement to the contrary, Verizon shall provide Nextel Partners with a minimum of two (2) dedicated Type 2C trunks diversely routed for the provision of E 911 services.

2.9.2 Routing

2.9.2.1 Routing of calls will be based on the Routing Number (aka ESRK) delivered with the voice call. Verizon will route the voice portion of the 911 call and its corresponding ESRK to the Designated PSAP. If Verizon is unable to route to the Designated PSAP due to the PSAP trunks being busy or out of service, Verizon will route the call to an Alternate PSAP(s) or busy tone, as directed by the Controlling 911 Authority. If Verizon is unable to route the call to the Designated PSAP due to a failure in delivery of the Routing Number, Verizon will route the call to a Default PSAP designated by the Controlling 911 Authority and provided to Verizon by Nextel Partners. Both Parties' network architecture and routing responsibilities will be in accordance with Applicable Law.

2.9.3 Data

2.9.3.1 Upon receipt of a PSAP query to a Verizon-controlled ALI Database to obtain the Call Back Number and Cell Site/Sector Information for a 911 Call, the Verizon-controlled ALI Database shall route the query to the Nextel Partners-controlled ALI Database designated by Nextel Partners.

- 2.9.3.2 The Verizon-controlled ALI Database shall then automatically receive from the Nextel Partners-controlled ALI Database the Routing Number, Call Back Number and Cell Site/Sector Information associated with the 911 Call.
- 2.9.3.3 The Verizon-controlled ALI Database shall then transmit the data received from the Nextel Partners-controlled database to the PSAP within a time period at parity with the transmission rates in response to similar queries to the Verizon-Controlled ALI Database for 911 calls originating from wireless carriers other than Nextel Partners.

2.9.4 Miscellaneous

- 2.9.4.1 Verizon shall permit Nextel Partners to terminate two frame relay circuits from an Nextel Partners-controlled ALI Database to the Verizon ALI Database site(s). Nextel Partners shall provide diverse connections to the Verizon ALI Database site(s).
- 2.9.4.2 Verizon shall place necessary Customer Service Unit/Data Service Unit ("CSU/DSU") at each Verizon ALI Database site, for the provision of the Routing Number, Call Back Number, Cell Site/Sector Information.
- 2.9.4.3 Verizon and Nextel Partners shall provision their respective ALI Databases such that the exchange of data between each shall use the PAM Protocol or other agreed upon interface.

2.10 CAS

2.10.1 Trunking

2.10.1.1 Notwithstanding anything contained in this Agreement to the contrary, Verizon shall provide Nextel Partners with a minimum of two (2) dedicated Type 2C trunks diversely routed for the provision of E911 services.

2.10.2 Routing

2.10.2.1 Routing of calls will be based on the Routing Number delivered with the voice call. For CAS, the Routing Number is identified in standard documents as Emergency Services Routing Digit, ("ESRD"). Verizon will route the voice portion of the 911 call and its corresponding ESRD to the Designated PSAP. If Verizon is unable to route to the Designated PSAP due to the PSAP trunks being busy or out of service, Verizon will route the call to an Alternate PSAP(s) or busy tone, as directed by the Controlling 911 Authority. If Verizon is unable to route the call to the Designated PSAP due to a failure in delivery of the Routing Number, Verizon will route the call to a Default PSAP designated by the Controlling 911 Authority and provided to Verizon by Nextel Partners. Both Parties' network

architecture and routing responsibilities will be in accordance with Applicable Law.

2.10.3 Data

2.10.3.1 Upon receipt of a PSAP query, a Verizon controlled ALI Database shall transmit the Routing Number, Call Back Number and Cell Site/Sector Information to the PSAP.

3. 911/E-911 Arrangements for Fixed Wireless Services

- 3.1 Nextel Partners may, at its option, interconnect to the Verizon 911/E-911 Tandem Office(s)/Selective Router(s), or interface point(s), e.g. digital cross connect systems (DCS), as appropriate, that serve the areas in which Nextel Partners provides Fixed Wireless Services, for the provision of 911/E-911 services and for access to all subtending Public Safety Answering Points ("PSAP"). In such situations, Verizon will provide Nextel Partners with the appropriate CLLI codes and specifications of the Tandem Office serving area. In areas where E-911 is not available, Nextel Partners and Verizon will negotiate arrangements to connect Nextel Partners to the 911 service in accordance with Applicable Law.
- 3.2 All path and route Interconnections for 911/E-911 shall be made diverse as necessary and as required by law or regulation.
- 3.3 Within thirty (30) days of its receipt of a complete and accurate request from Nextel Partners, to include all required information and applicable forms, and to the extent authorized by the relevant federal, state, and local authorities, Verizon will provide Nextel Partners, where Verizon offers 911 services, with the following at a reasonable fee, if applicable:
 - 3.3.1 a file via electronic medium containing the Master Street Address Guide ("MSAG") for each county within the LATA(s) where Nextel Partners is providing, or represents to Verizon that it intends to provide service within sixty (60) days of Nextel Partners's request. Verizon shall update the MSAG as the need arises. A complete copy of which shall be made available on an annual basis;
 - 3.3.2 a list of the address and CLLI code of each 911/E-911 Tandem
 Office(s)/Selective Router(s) in the area in which Nextel Partners plans
 to offer service:
 - 3.3.3 a list of appropriate Verizon contact personnel who currently have responsibility for operations and support of 911/E-911 network and database systems;
 - 3.3.4 any special 911 trunking requirements for each 911/E-911 Tandem Office/Selective Router, where available, and;
 - 3.3.5 prompt return of any Nextel Partners 911/E-911 data entry files containing errors, so that Nextel Partners may ensure the accuracy of the Customer records and resubmit to Verizon as necessary.

4. NENA Standards For Local Number Portability (LNP)

Nextel Partners is required to enter data into the 911 database under the NENA Standards for LNP. This includes, but is not limited to, using Nextel Partners's NENA ID to lock and unlock records and the posting of Nextel Partners's NENA ID to the ALI record where such locking and unlocking feature for 911 records is available, or as defined by local standards.